

FIG. 1A




FIG. 1B






FIG. 1C



O (Oxygen) Plasma Treatment

FIG. 1D



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

H (Hydrogen) Plasma Treatment




FIG. 1E




FIG. 1F




FIG. 1G





FIG. 1H



009000-000000

FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E




FIG. 2F




FIG. 2G





FIG. 2H



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 2I




FIG. 2J




FIG. 2K





FIG. 2L



Downloaded from www.ascelibrary.org

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 2M




FIG. 2M

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DU-ATSMAN		

FIG. 3A




FIG. 3B






FIG. 3C



H (Hydrogen) Plasma Treatment

FIG. 3D



APPROVED	O.G.	IN
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 3E




FIG. 3F




FIG. 3G






FIG. 3H




APPROVED	O. G. [illegible]	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 4



APPROVED	O.G. R.T.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 5



005000-00000000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 6

